

TECHNICAL DEPARTMENT STAFF

Technical Director

Patrick Emery
Cell number: 250-703-6991
E-Mail: patrick@sidtheatre.com

Assistant Technical Director

Andrew Taylor
Cell number: 250-218-1621
E-Mail: andrew@sidtheatre.com

Head of Audio

Marcos Amaya-Torres
Phone: (250) 338-2430 Local 109
E-Mail: marcos@sidtheatre.com

Webpage: www.sidwilliamstheatre.com

MAIL:

442 CLIFFE AVE, COURTENAY, BC, CANADA, V9N 2J2

AUDIENCE SPACE

Architectural Form:	Proscenium thrust
Colour of House Walls:	Grey-green with maple finishings
Air Conditioning/Heating:	Both the house and the stage are on the same unit.
Number of permanent seats:	Total = 502 Orchestra level: 358 (- 8 for usher, house seats) Balcony level: 144 (- 2 for usher seats)
Number of temporary seats:	8 plus two wheelchairs
Number of aisles:	2
Width of aisles:	4'
Difference in elevation from 1st row of seats to last row:	4'
Straight line distance from front lip of stage to the last row of seat in the lower house:	44'4"
Distance between stage and front row of seats:	4'
Stage height in relation to auditorium floor:	38.5"
Access from backstage to auditorium:	Stage right: 6 steps Stage left: 6 steps
Distance from wheelchair projection to movie screen:	52'6"

STAGE

Depth of stage:	31'9" to back wall 30'5" to ground row
1st proscenium	width: 29'11.5" height: 14'8"
2nd proscenium	width: 27'4" height: 14'8"
Apron:	13' deep by 24'6" wide

Depth of stage upstage of 1st proscenium:	18'9" to back wall 17'5" to ground row
Distance between 1st and 2nd proscenium:	3'3"
Wing Space(width):	Stage right: 15' 10" Stage left: 15'10"
Overall width of stage (including wings):	59'3"
Floor material:	Tempered masonite over edge grain fir Tempered masonite over plywood on Apron. Colour: Flat Black
Orchestra pit:	6'1" deep by 24'6" wide depth 7'8"
Access to pit:	From dressing room
Piano:	Yamaha c-7 grand tuned at A-440
Electrical outlets:	4 15 amp electrical duplexes

STAGE RIGGING SYSTEM

ETC Prodigy Hoist:	P1300G (General Fly Pipe) Capacity: 1300 Lbs.
ETC Prodigy Hoist:	P1500E (Electric Fly Pipe) Capacity: 1500 Lbs.
Location of General Purpose Fly Pipes: (Distance upstage of Proscinium)	Fly 1 – 7' 3" Fly 2 – 9' (Occupied by midstage traveler) Fly 3 – 12' 10" Fly 4 – 16' 9"
Location of Electric Fly Pipes: (Distance upstage of Proscinium)	Electric 1 – 6' Electric 2 – 10' 9" Electric 3 - 14' 4"

STAGE DRAPERIES

Main drape:	Colour: Red Location: 13' upstage
Mid stage traveller:	Height 16' Width:18' Location: 22' upstage
Legs (1 pair):	Height 16' Width 12' Location: 26' upstage

Up stage traveller:

TECHNICAL PACKAGE

Height 16'
Width: 18'
Location: 30'5" upstage

Borders (3):

Height 5'
Width 42'

Colour:

Black

Operation:

All travellers and main drape are manually operated from Stage Right

Cyclorama

32'X15' Filled Cloth, White, 100% Cotton.

DANCE FLOOR

Type:

Rosco Adagio

Colour:

Black

Size:

5 lengths of 26'3" by 5'3"
Combined area of 26'3" by 26'3"

PORTABLE STAGING

Type:

Canadell Staging

Number of Units:

8

Leg heights:

8", 16", and 24"

DRESSING ROOM FACILITIES

Location of dressing room:

Below stage

Dressing room #1 (Curtained):

38' wide by 12' deep dividable into 4 small dressing rooms each with costume rack.
Make-up counter #1 - 17' long
make-up counter #2 - 12' long
Both counters are equipped with mirrors and lights.
Equipped with shower, bar fridge, washrooms and private entrance.

Dressing rooms #2 & 3:

14' long by 5' deep plus make-up counter
Equipped with costume rack

Access to stage:

Stairs to backstage crossover.

The greenroom can be used as an overflow dressing room. Equipped with tables, chairs, and a small galley kitchen (sink, bar fridge, microwave).

LOAD-IN FACILITIES

Number of loading areas:

2

Description of loading areas:

1) Alley, stage right, stage level
opening 9'10"H by 5' 10"W

2) Lobby, opening 6'11"H by 5'6"W

